

1800 South Highway 146, Baytown, Texas 77520
(281) 427 - 4099, FAX (281) 427 - 5367



☐ Recertification

Disposal Code

ONYX TSDF requested _____ Technology requested _____ Wastestream No. _____
(manifest from-blank if direct)

1. Generator Name US EPA Region VI-CES Environmental

Customer Name (Bill to) CB&I

Address 4904 Griggs Road

Address PO Box 98519

City Houston State TX Country Harris ZIP 77021

City Baton Rouge State LA Country _____ ZIP 70884

Generator EPA ID No. TXD008950461

Contact Name Beth Crawford

Generator No. _____

Generator State No. _____

Phone 419-429-5519

Fax _____

NAICS (SIC) Code 562219

Source G13

Origin 6 Form 603

System Type _____

2. Waste Name Organic Sludge

Lab or Waste Area _____

3. Process Generating Emergency Response clean up effort via US EPA Region VI-material has been onsite for 4 years. No waste generation information is available

4. DOT Shipping Name Waste Flammable liquid, corrosive, n.o.s. (Benzene)

Hazard Class 3 UN/NA No. 2924

PG III

RQ amt 10 lb

RQ Desc: 1. _____

2. _____

DOT Desc: 1. _____

2. _____

5. Waste Codes D001 D002 D018 D008 D027 D030 D032 D033 D034 D036 D038 D042 _____

Wastewater _____

Non Wastewater X

Sub Category _____

(List additional waste codes in section 15 or attach separate sheet)

6. Physical and chemical properties

(check all that apply)

PH

A ☐ < 2
B ☐ 2 – 5
C ☐ 5 – 9
D ☐ 9 – 12.5
E ☐ > 12.5
13.06 exact

Specific Gravity

A ☐ < .8
B ☐ .8 - 1.0
C ☐ 1.0
D ☐ 1.0 - 1.2
E ☒ > 1.2
_____ exact

Flash Point (F)

A ☐ < 80
B ☐ 80 – 100
C ☒ 101 – 140
D ☐ 141 – 200
E ☐ > 200
F ☐ no flash _____ exact

Solids

_____ % suspended
_____ % settleable
_____ % dissolved

_____ % ash
_____ water solubility
3740 BTU/lb

Free Liquid Range 1 to 3 %

Physical State

S ☐ solid
M ☐ semi-solid
L ☐ liquid
P ☒ pumpable semi-solid
F ☐ flowable powder
G ☐ gas
A ☐ aerosol
R ☐ pressurized liquid
D ☐ debris per 40 CFR 268.45
H ☐ sharps

Hazardous Characteristics

A ☐ air reactive
W ☐ water reactive
C ☐ cyanide reactive
F ☐ sulfide reactive
E ☐ explosive
O ☐ oxidizing acid
P ☐ peroxide former
R ☐ radioactive or NRC regulated
S ☐ shock sensitive
T ☐ temp sensitive
M ☐ polymerization/monomer
N ☐ OSHA carcinogen
I ☐ infectious
H ☐ inhalation hazard Zone: _____

Odor

A none ☐
B mild ☐
C strong ☒
describe phenolic smell

Halogens

Br _____ % Bromine
Cl _____ % Chlorine
F _____ % Fluorine
I _____ % Iodine

Layers: a ☐ multilayered: b ☐ bi-layered: c ☒ single phase:

	Top Layer	Second Layer	Bottom Layer
Viscosity	<input checked="" type="checkbox"/> high (syrup)	<input type="checkbox"/> high (syrup)	<input type="checkbox"/> high (syrup)
By	<input type="checkbox"/> medium (oil)	<input type="checkbox"/> medium (oil)	<input type="checkbox"/> medium (oil)
Layer:	<input type="checkbox"/> low (water)	<input type="checkbox"/> low (water)	<input type="checkbox"/> low (water)
	<input type="checkbox"/> solid	<input type="checkbox"/> solid	<input type="checkbox"/> solid

Color

Black

Used oil y/n N HOC <1000 ppm ☒ or > 1000 ppm ☐

page 1 of 2

WIP No. _____

7. Chemical Composition [M = Marine Pollutant, S = Severe Marine Pollutant, O = Ozone Depleting Substance, U = Underlying Hazardous Constituent,
B = Benzene NESHAP, T = TRI Chemical, C = OSHA Carcinogen]

Constituents			Range	Units	Constituents			Range	Units
Oil/Sludge			97-100	%					
Water/Free Liquid			0-3	%					
Benzene			6.49	PPM					

Total Composition Must Equal or Exceed 100%

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR?
PCB concentration Yes ☐ No ☒ _____ ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the waste from an industry regulated under Benzene NESHAP?
If yes, is the wastestream subject to Notification and Control Requirements? Yes ☐ No ☒
Benzene concentration Yes ☐ No ☐ _____ ppm
Does it contain greater >=10% Water Yes ☐ No ☐
What is the TAB at your facility? _____ mg/year
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☒ No ☐
Volatile organic concentration, if known _____ ppmw
CC approved analytical method ☐ Generator Knowledge ☐
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☒ No ☐

14. Container Information (Identify UN container marking if known)

Packaging: Bulk Solid ☐ Type/Size: _____ Bulk Liquid ☒ Type/Size: Vac Box Drum ☐ Type/Size: _____

Other _____

Shipping Frequency: Units _____ Per Month ☐ Quarter ☐ Year ☐ One Time ☒ Other _____

15. Additional Information: This wastestream is comprised of VB639.

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Gary Moore

NAME (PRINT OR TYPE)

214-789-1627

PHONE

10/2/14

DATE

SIGNATURE



On-Scene Coordinator US EPA

TITLE

FACILITY NOTIFICATION

If approved for management, VES-TS has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

TSDF PROCESSING USE ONLY: PPE REQUIRED No _____ Yes _____ Describe _____

Veolia ES Technical Solutions WIP INSTRUCTIONS

VES-TS requires completion of all sections of the Wastestream Information Profile (WIP). Sections not applicable to the wastestream must have N/A written in the space provided.

Documented WIP information is used to comply with TSDF Waste Analysis Plans, RCRA and DOT regulations, Emergency Planning and Community Right-to-Know Act (EPCRA), Pollution Prevention Act, Toxic Release Inventory Report and other regulatory and generator requirements.

MARINE POLLUTANT

- The wastestream is subject to the Marine Pollutant Regulations if:
 1. it is a bulk (>119 gallons) packaging with Marine Pollutant concentration \geq 10% or Severe Marine Pollutant concentration \geq 1%
or
 2. it is non-bulk Marine Pollutant shipped by vessel (boat) in packages larger than 5 liters (liquid) or 5 kg (solid)
or
 3. it is a non-bulk Severe Marine Pollutant, shipped by vessel (boat) in packages larger than 0.5 liters (liquid) or 0.5 kg (solid).

Refer to the list of Marine Pollutants.

OZONE DEPLETING SUBSTANCE (ODS)

Refer to the list of Ozone Depleting Substances.

UNDERLYING HAZARDOUS CONSTITUENT (UHC)

Refer to the list of Underlying Hazardous Constituents (40 CFR 268.48)

BENZENE NESHAP

- The wastestream is subject to Benzene NESHAP notification and control requirements if it:
 1. contains > 10 ppm benzene, **and**
 2. is generated by a chemical manufacturing plant, petroleum refinery or coke by-product recovery plant, **and**
 3. the generator's Total Annual Benzene (TAB) is \geq 10 Mg/yr

TRI CHEMICAL

- The wastestream is subject to Toxic Release Inventory Reporting if it contains a Section 313 Toxic Chemical and meets Qualifier requirements.

OSHA CARCINOGEN

- OSHA promulgated standards in 1974 to regulate the industrial use of 13 chemicals identified as occupational carcinogens. Exposures are to be controlled through the required use of engineering controls, work practices, and personal protective equipment, including respirators. See 29 CFR 1910.1003-1910.1016 for specific details.

RCRA SUB-PART CC CONTROLS

- Subpart CC Air Emission Control requirements apply to large quantity hazardous waste generators and to treatment, storage, and disposal facilities.
- Waste in containers greater than 0.1 cubic meters (i.e., 26.4 gallons) with greater than 500 ppm volatile organics are subject to this rule., unless otherwise exempted. Allowable controls include DOT approved containers, containers with an adequate cover and closure devices, and containers which operate with no detectable emissions (less than 500 ppm).